# All India Council for Technical Education

(A Statutory body under Ministry of HRD, Govt. of India)



Nelson Mandela Marg, Vasant Kunj, New Delhi-110070 Website: www.aicte-india.org

### **APPROVAL PROCESS 2020-21**

## **Extension of Approval (EoA)**

F.No. North-West/1-7013260272/2020/EOA

Date: 09-Jun-2020

To,

The Secretary (Technical Education) Govt. of J & K Civil Secretariat, Room No. 44 Gr. Block, Srinagar-190001

Sub: Extension of Approval for the Academic Year 2020-21

Ref: Application of the Institution for Extension of Approval for the Academic Year 2020-21

Sir/Madam,

In terms of the provisions under the All India Council for Technical Education (Grant of Approvals for Technical Institutions) Regulations 2020 notified by the Council vide notification number F.No. AB/AICTE/REG/2020 dated 4th February 2020 and norms standards, procedures and conditions prescribed by the Council from time to time, I am directed to convey the approval to

Permanent Id	1-1045796631	Application Id	1-7013260272	
Name of the Institute	GOVT. POLYTECHNIC RAMBAN	Name of the Society/Trust	DIRECTORATE OF TECHNICAL EDUCATION J&K	
Institute Address	OLD D.C. OFFICE COMPLEX NEAR GOVT. DISTT. HOSPITAL RAMBAN, RAMBAN, RAMBAN, Jammu and Kashmir, 182144	Society/Trust Address	BIKRAM CHOWK JAMMU,JAMMU,JAMMU,,180004	
Institute Type	Government	Region	North-West	

## To conduct following Courses with the Intake indicated below for the Academic Year 2020-21

Program	Level	Course	Affiliating Body (University /Body)	Intake Approved for 2019-20	Intake Approved for 2020-21	NRI Approval Status	PIO / FN / Gulf quota/ OCI/ Approval Status
ENGINEERING AND TECHNOLOGY	DIPLOMA	ELECTRONICS & COMMUNICATIO N ENGG	J&K State Board of Technical Education	60	60	NA	NA
ENGINEERING AND TECHNOLOGY	DIPLOMA	ELECTRICAL ENGINEERING	J&K State Board of Technical Education	60	60	NA	NA

It is mandatory to comply with all the essential requirements as given in APH 2020-21 (Appendix 6)

Application No:1-7013260272 ALL INDIA COUNCIL FOR TECHNICAL EDUCATION Note: This is a Computer generated Report. No signature is required.

Printed By: aicjk0002

The Institution/ University is having the following deficiencies as per the online application submitted to AICTE and the same shall be complied within Six Months from the date of issue of this EoA

Deficiencies Noted based on Self Disclosure  Particulars  Deficiency				
	,			
1. Administrative Area				
Board Room	Yes			
Department Offices/Cabin for Head of Dept	Yes			
Central Store	Yes			
Exam Control Office	Yes			
Housekeeping	Yes			
Maintenance	Yes			
Office All Inclusive	Yes			
Placement Office	Yes			
Principal Directors Office	Yes			
Security	Yes			
2. Amenities Area				
Boys Common Room	Yes			
Cafeteria	Yes			
First aid cum Sick Room	Yes			
Girls Common Room	Yes			
Stationery Store	Yes			
3. Computational Facilities				
Internet Bandwidth	Yes			
Number of PCs in Language lab	Yes			
Application S/W	Yes			
PCs to Student ratio	Yes			
4. Instructional Area – ENGINEERING AND TECHNOLOGY-Diploma				
Classroom	Yes			
Tutorial Room	Yes			
Seminar Hall	Yes			
Additional Workshop	Yes			
Drawing Hall	Yes			
Workshop	Yes			
Laboratory	Yes			
5. Faculty Deficiency	Yes			
6. Instructional Area Common Facilities				
Computer Center	Yes			
Library & Reading Room	Yes			
Language Laboratory	Yes			
7. Land Area Details				
Total Area of Land	Yes			
8. Library Facilities	<u> </u>			

Library Management Coffuers	Yes			
Library Management Software	res			
Reading Room Seating Capacity	Yes			
9. Other Facilities Deficiency				
Sewage Disposal System	Yes			
Food Safety and Standards	Yes			
Rain Water Harvesting	Yes			
Waste Management and a sustainable Green Campus	Yes			
10. Other Facilities III & Faculty Questions				
Institute's Operation from: Permanent Site	Yes			

<sup>\*</sup>Please refer Deficiency Report for details

## **Important Instructions**

- 1. The State Government/ UT/ Directorate of Technical Education/ Directorate of Medical Education shall ensure that 10% of reservation for Economically Weaker Section (EWS) as per the reservation policy for admission, operational from the Academic year 2020-21 is implemented without affecting the reservation percentages of SC/ ST/ OBC/ General. However, this would not be applicable in the case of Minority Institutions referred to the Clause (1) of Article 30 of Constitution of India. Such Institution shall be permitted to increase in annual permitted strength over a maximum period of two years beginning with the Academic Year 2020-21
- 2. The Institution offering courses earlier in the Regular Shift, First Shift, Second Shift/Part Time now amalgamated as total intake shall have to fulfil all facilities such as Infrastructure, Faculty and other requirements as per the norms specified in the Approval Process Handbook 2020-21 for the Total Approved Intake. Further, the Institutions Deemed to be Universities/ Institutions having Accreditation/ Autonomy status shall have to maintain the Faculty: Student ratio as specified in the Approval Process Handbook. All such Institutions/ Universities shall have to create the necessary Faculty, Infrastructure and other facilities WITHIN 2 YEARS to fulfil the norms based on the Affidavit submitted to AICTE.
- 3. In case of any differences in content in this Computer generated Extension of Approval Letter, the content/information as approved by the Executive Council / General Council as available on the record of AICTE shall be final and binding.
- 4. Strict compliance of Anti-Ragging Regulation: Approval is subject to strict compliance of provisions made in AICTE Regulation notified vide F. No. 373/Legal/AICTE/2009 dated July 1, 2009 for Prevention and Prohibition of Ragging in Technical Institutions. In case Institution fails to take adequate steps to Prevent Ragging or fails to act in accordance with AICTE Regulation or fails to punish perpetrators or incidents of Ragging, it will be liable to take any action as defined under clause 9(4) of the said Regulation.

Prof.Rajive Kumar Member Secretary, AICTE

### Copy to:

- 1. The Director Of Technical Education\*\*, Jammu and Kashmir
- The Principal / Director, GOVT. POLYTECHNIC RAMBAN Old D.C. Office Complex Near Govt. Distt. Hospital Ramban, Ramban,Ramban, Jammu And Kashmir,182144
- The Secretary / Chairman, BIKRAM CHOWK JAMMU JAMMU, JAMMU ,180004
- 4. The Regional Officer,
  All India Council for Technical Education

Plot No. 1A, 5th Floor, DTE(Pb..) Building, Dakshin Mark, Sector 36-A, Chandigarh-160 036

#### **Guard File(AICTE)** 5.

Note: Validity of the Course details may be verified at <a href="http://www.aicte-india.org/">http://www.aicte-india.org/</a>

<sup>\*\*</sup> Individual Approval letter copy will not be communicated through Post/Email. However, consolidated list of Approved Institutions(bulk) will be shared through official Email Address to the concerned Authorities mentioned above.